

SAFETY DATA SHEET

MICRONCLEAN IPA 70/30 WFI

WIPES/MOPS



# **Contents**

Section 1	Identification of the substance/mixture and of the company/undertaking	01
Section 2	Hazards identification	03
Section 3	Composition/information on ingredients	04
Section 4	First aid measures	04
Section 5	Firefighting measures	05
Section 6	Accidental release measures	05
Section 7	Handling and storage	06
Section 8	Exposure controls/personal protection	06
Section 9	Physical and chemical properties	07
Section 10	Stability and Reactivity	08
Section 11	Toxicological information	08
Section 12	Ecological information	09
Section 13	Disposal considerations	09
Section 14	Transport information	10
Section 15	Regulatory information	12
Section 16	Other information	13

# Document control:

Issue Number	Reason for Change	Issue Date	Issued by
11	SDS layout update	11/2023	Uzayr Jarral - Regulatory Officer
			Uzayr Jarral



### **SAFETY DATA SHEET - MICRONCLEAN IPA 70/30 WIPES/MOPS**

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

### **SECTION 1**

# IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/ UNDERTAKING

### 1.1 Product identifier

Product code/ part no.	Product identifier	UK Product Authorisation Number	Ireland Product Authorisation Number
WSCW92009	Veriguard 2 IPA Sessional Polycellulose C-folded Pouch Wipes Sterile	UK-2019-1221-1-0004	IE/BPA 70469 1-1
MCZSLA50S	VeriGuard 3 Polyester Non-folded Pouch Wipes Sterile	UK-2019-1221-1-0002	IE/BPA 70469 1-1
MCZNLA50N	VeriGuard 3 IPA Polyester Non-folded Pouch Wipes Non-sterile	UK-2019-1221-1-0001	IE/BPA 70469 1-1
WNVG05020	VeriGuard 1 IPA Polypropylene Tub Wipes Non-sterile	UK-2019-1221-1-0005	IE/BPA 70469 1-1
WSVG05020	VeriGuard 1 IPA Polypropylene Tub Wipes Sterile	UK-2019-1221-1-0006	IE/BPA 70469 1-1
WSVG01020	VeriGuard 1 IPA Polypropylene Tub Wipes Refill Sterile	UK-2019-1221-1-0007	IE/BPA 70469 1-1
WNVG04023	VeriGuard 2 IPA Polycellulose C-folded Pouch Wipes Non-sterile	-	-
WSVG04023	VeriGuard 2 IPA Polycellulose C-folded Pouch Wipes Sterile	-	-
WNVG06030	VeriGuard 3 IPA Sessional Polyester V-folded Pouch Wipes Non-sterile	UK-2019-1221-1-0003	IE/BPA 70469 1-1
WSVG06030	VeriGuard 3 IPA Sessional Polyester V-folded Pouch Wipes Sterile	UK-2019-1221-1-0003	IE/BPA 70469 1-1
WNPC50169	Veriguard 2 IPA Polycellulose C-folded Pouch Wipes Non-sterile	-	-
MSMI01016	Pureguard 1 IPA Multi Packed Disposable Microfibre Mops Sterile	-	-
MSMI04016	Pureguard 1 IPA Individually Packed Disposable Microfibre Mop Sterile	-	-



Product Name Micronclean IPA 70/30 WFI Wipes/Mops

Unique Formula Identifier (UFI) CC31-A0QV-M00U-0KR8

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) Disinfectant
Uses Advised Against Not known

# 1.3 Details of the supplier of the safety data sheet

Manufacturer

Company Identification Micronclean Address of Manufacturer Roman Bank

Skegness Lincolnshire United Kingdom

Postal code PE25 1SQ

Telephone: 0044 (0) 1754 767171 Fax 0044 (0) 1754 767171

E-mail enquiries@micronclean.co.uk

Office hours 09:00 - 17:00

Supplier

Company Identification Micronclean
Address of Supplier Holly Road
Skegness

Lincolnshire
United Kingdom

Postal code PE25 3AX

Telephone: 0044 (0) 1754 767171 Fax 0044 (0) 1754 767171

E-mail enquiries@micronclean.co.uk

Office hours 09:00 - 17:00

1.4 Emergency telephone number

Emergency Phone No. +44 (0)1754 614100 Contact +001754 614100 No information available

National response centre for UK:

Address NHS Direct Emergency Phone No. +44 111



#### HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

Regulation (EC) No. 1272/2008 (CLP) Flam. Liq. 2: Highly flammable liquid and vapour.

Eye Irrit. 2: Causes serious eye irritation.

STOT SE 3: May cause drowsiness or dizziness.

#### 2.2 Label elements

According to Regulation (EC) No. 1272/2008 (CLP)

Product Name Micronclean IPA 70/30 WFI Wipes/Mops

Hazard Pictogram(s)



GHS02

Signal Word(s) Danger

H225: Highly flammable liquid and vapour. Hazard Statement(s)

H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.

P210: Keep away from heat, hot surfaces, sparks, Precautionary Statement(s)

open flames and other ignition sources. No smoking.

P233: Keep container tightly closed.

P264: Wash hands and exposed skin thoroughly after

handling.

P280: Wear protective gloves/protective clothing/eye

protection/face protection.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical

advice/attention.

P370+P378: In case of fire: Use water spray, dry powder

or carbon dioxide to extinguish.

P501: Dispose of contents in accordance with local,

state or national legislation.

Unique Formula Identifier (UFI) CC31-A0QV-M00U-0KR8

#### 2.3 Other hazards

None known

#### 2.4 Additional Information

For full text of H/P Statements see section 16.





### **COMPOSITION/INFORMATION ON INGREDIENTS**

### 3.1 Substances

Not applicable

### 3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No.	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
propan-2-ol isopropyl alcohol isopropanol	67-63-0	200-661-7	70	Flam. Liq. 2 H225	GHS02
				Eye Irrit. 2 H319	GHS07
				STOT SE 3 H336	
Water	7732-18-5	231-791-2	30	Not classified	None

Contains no non-classified vPvB substances.

Contains no non-classified substances with a Union workplace exposure limit. For full text of H/P Statements see section 16.

### **SECTION 4**

### **FIRST AID MEASURES**

# 4.1 Description of first aid measures

Inhalation	Remove person to fresh air and keep comfortable for breathing.
	Call a POISON CENTER/doctor if you feel unwell.
Skin Contact	Take off immediately all contaminated clothing. Rinse
	skin with water.
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue
	rinsing.
	If eye irritation persists: Get medical advice/attention.
Ingestion	Treat symptomatically.

# 4.2 Most important symptoms and effects, both acute and delayed May cause irritation.

# 4.3 Indication of any immediate medical attention and special treatment needed Call a POISON CENTER/doctor if you feel unwell. Treat symptomatically.



#### FIREFIGHTING MEASURES

### 5.1 Extinguishing media

Suitable Extinguishing media Use water spray, dry powder or carbon dioxide to

extinguish.

Unsuitable extinguishing media Water jet spray

### 5.2 Special hazards arising from the substance or mixture

Highly flammable liquid and vapour. May decompose in a fire, giving off toxic and irritant vapours.

# 5.3 Advice for firefighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. If it is safe to do so, containers should be removed from fire area because they are likely to rupture under fire conditions.

#### **SECTION 6**

### **ACCIDENTAL RELEASE MEASURES**

### 6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Use non-sparking ventilation systems, approved explosion-proof equipment, and intrinsically safe electrical systems. Ensure full personal protection (including respiratory protection) during removal of spillages.

### 6.2 Environmental precautions

Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.

### 6.3 Methods and material for containment and cleaning up

Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a container for disposal. Containers must not be punctured or destroyed by burning, even when empty.

### 6.4 Reference to other sections

See Also Section 8, 13.





#### HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Use explosion-proof electrical/ventilating/lighting/equipment. Use non-sparking tools. Take action to prevent static discharges. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands and exposed skin thoroughly after handling. Avoid breathing dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

Storage temperature Ambient

Storage life Stable under normal conditions

Incompatible materials None known

### 7.3 Specific end use(s)

Disinfectant

#### **SECTION 8**

### **EXPOSURE CONTROLS/PERSONAL PROTECTION**

### 8.1 Control parameters

### 8.1.1 Occupational Exposure Limits

OCCUPATION	OCCUPATIONAL EXPOSURE LIMITS						
SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note	
Propan-2-ol	67-63-0	400	999	500	1250		

Region Source

United Kingdom UK Workplace Exposure Limits EH40/2005 (Fourth


edition, published 2020)

Remark Notes

### 8.2 Exposure controls

### 8.2.1. Appropriate engineering controls

Use non-sparking ventilation systems, approved explosion-proof equipment, and intrinsically safe electrical systems. Ensure adequate ventilation. A washing facility/water for eye and skin cleaning purposes should be present.





### 8.2.2. Personal protection equipment

Eye Protection Wear eye protection with side protection (EN166).

Skin protection Wear protective clothing and gloves: Impervious gloves (EN 374).

Respiratory protection Normally no personal respiratory protection is necessary.

Thermal hazards None known.

8.2.3. Environmental Exposure Controls Avoid release to the environment.

### **SECTION 9**

### PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties

Physical State Liquid Colour Colourless Odour Alcohol-like - 89°C Melting point/freezing point Boiling point or initial boiling point and boiling range 82°C Flammability Not known

Lower and upper explosion limit 12.7 % V / 2.0% V

Flash Point 18°C Auto-ignition temperature 399°C Decomposition Temperature (°C) Not known

рН 6-8 Kinematic Viscosity

 $@20^{\circ}C = 4.232 @40^{\circ}C = 2.121$ Solubility (Water): Very soluble Solubility

Solubility (Other): Miscible with

Organic Solvents Partition coefficient: n-octanol/water (log value) Not known

Vapour pressure 20 mmHg @ 332°C

Density and/or Relative density Density (g/ml): 0.785 Relative vapour density 2.1

Particle characteristics Not known

#### 9.2 Other information

None.





### STABILITY AND REACTIVITY

### 10.1 Reactivity

None anticipated

### **10.2 Chemical Stability**

Stable under normal conditions

### 10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose

#### 10.4 Conditions to avoid

Avoid friction, sparks, or other means of ignition.

### 10.5 Incompatible materials

Not known

### 10.6 Hazardous decomposition products

No hazardous decomposition products known

#### **SECTION 11**

### **TOXICOLOGICAL INFORMATION**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Calculation method: Not classified. Acute toxicity - Ingestion Acute toxicity - Skin Contact Calculation method: Not classified. Acute toxicity - Inhalation Calculation method: Not classified. Skin corrosion/irritation Calculation method: Not classified.

Serious eye damage/irritation Calculation method: Causes serious eye irritation.

Skin sensitization data Calculation method: Not classified. Respiratory sensitization data Calculation method: Not classified. Germ cell mutagenicity Calculation method: Not classified. Carcinogenicity Calculation method: Not classified. Reproductive toxicity Calculation method: Not classified.

Lactation Not classified

STOT - single exposure Calculation method: May cause drowsiness or dizziness.

STOT - repeated exposure Calculation method: Not classified. Calculation method: Not classified. Aspiration hazard

### 11.2 Information on other hazards

Not known.





#### **ECOLOGICAL INFORMATION**

### 12.1 Toxicity

Toxicity - Aquatic invertebrates

Toxicity - Fish Toxicity - Algae

Toxicity - Sediment Compartment Toxicity - Terrestrial Compartment Low toxicity to invertebrates.

Low toxicity to fish. Low toxicity to algae.

Not classified. Not classified.

# 12.2 Persistence and degradability

Not known

### 12.3 Bioaccumulative potential

Not known

### 12.4 Mobility in soil

Not known

### 12.5 Results of PBT and vPvB assessment

Not known

### 12.6 Endocrine disrupting properties

Not known

### 12.7 Other adverse effects

Not known

#### **SECTION 13**

### **DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

Dispose of contents in accordance with local, state or national legislation. Recycle only completely emptied packaging. Containers must not be punctured or destroyed by burning, even when empty. Do not allow to enter drains, sewers or watercourses. Do NOT landfill. Normal disposal is via incineration operated by an accredited disposal contractor. Send to a licensed recycler, reclaimer or incinerator. Dispose at suitable refuse site.

### 13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.



#### TRANSPORT INFORMATION

### 14.1 UN number or ID number

UN No. 3175

### 14.2 UN proper shipping name

UN proper shipping name

SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.

# 14.3 Transport hazard class(es)

# ADR/RID

ADR/RID Class 4.1 ADR Classification Code F1

Special Provisions 216, 274, 601

Limited Quantities 1 kg **Excepted Quantities** E2 Emergency Action Code 1Z

Mixed Packing Instructions for Packages P002 IBC06 R001

Special Packing Provisions for Packages PP9 Mixed Packing Instructions for Packages MP11 Packing Instructions for Portable Tanks T3 BK1 BK2 Special Provisions for Portable Tanks **TP33** 

Tank Code for Tanks

Special Provisions for Tanks

Vehicle for Tank Carriage AT ADR Transport Category 2 Tunnel Restriction Code Ε Special Provisions for Carriage - Packages V11

VC1 VC2 AP2 Special Provisions for Carriage - Bulk

Special Provisions for Carriage - Loading,

Unloading and Handling

Special Provisions for Carriage - Operation

**ADR HIN** 40

#### **IMDG**

IMDG Class 4.1

**Special Provisions** 216, 274, 601

Limited Quantities 1 kg **Excepted Quantities** E2

Mixed Packing Instructions for Packages P002 IBC06 R001

Special Packing Provisions for Packages PP9

Packing Instructions for Portable Tanks T3 BK1 BK2 Special Provisions for Portable Tanks TP33 **IMDG EMS** F-A, S-I Stowage and Handling Category B

Segregation Marine Pollutant



### ICAO/IATA

IATA Proper Shipping Name SOLID CONTAINING FLAMMABLE LIQUID, N.O.S **Excepted Quantities** E2 Passenger and Cargo Aircraft Limited Quantities Packing Instructions Y441 Passenger and Cargo Aircraft Limited Quantities Max net Qty 5 Kg Passenger and Cargo Aircraft Packing Instructions 445 Passenger and Cargo Aircraft Max net Qty 15 Kg Cargo Aircraft Packing Instructions 448 Cargo Aircraft Max net Qty 50 Kg Special Provisions A46 Emergency Response Guidebook (ERG) Code 3L

### Labels

Labels 4.1



# 14.4 Packing group

Packing group II

### 14.5 Environmental hazards

Environmental hazards Not classified as a Marine Pollutant.

### 14.6 Special precautions for user

Not known

### 14.7 Maritime transport in bulk according to IMO instruments

No information available



#### **REGULATORY INFORMATION**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

European Regulations - Authorisations and/or Restrictions On Use

Candidate List of Substances of Very

High Concern for Authorisation

Not listed

REACH: ANNEX XIV list of substances

subject to authorisation

Not listed

REACH: Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

mixtures and articles

propan-2-ol isopropyl alcohol

isopropanol (67-63-0)

Community Rolling Action Plan (CoRAP)

Not listed

Regulation (EU) N° 2019/1021 of the European Parliament and of the Council on persistent

organic pollutants

Not listed

Regulation (EC) N° 1005/2009 on substances

that deplete the ozone layer

Not listed

Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals

Not listed

**National regulations** 

Other Not known.

### 15.2 Chemical Safety Assessment

A REACH chemical safety assessment has not been carried out



#### OTHER INFORMATION

The following sections contain revisions or new statements:.

#### **LEGEND**

Hazard Pictogram(s)





Hazard classification

Flam. Liq. 2: Flammable liquid, Category 2

Eye Irrit. 2 : Serious eye damage/irritation, Category 2 STOT SE 3 H336 : Specific target organ toxicity — single

exposure, Category 3

Hazard Statement(s)

H225: Highly flammable liquid and vapour.

H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.

Precautionary Statement(s)

P210: Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking.

P233: Keep container tightly closed.

P240: Ground and bond container and receiving

equipment.

P241: Use explosion-proof electrical/ventilating/

lighting/equipment.

P242: Use non-sparking tools.

P243: Take action to prevent static discharges.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray. P264: Wash hands and exposed skin thoroughly after

handling.

P271: Use only outdoors or in a well-ventilated area. P280: Wear protective gloves/protective clothing/eye

protection/face protection.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P312: Call a POISON CENTER/doctor if you feel unwell. P337+P313: If eye irritation persists: Get medical advice/attention.

P370+P378: In case of fire: Use water spray, dry powder or carbon dioxide to extinguish.

P403+P233: Store in a well-ventilated place. Keep

container tightly closed.



P403+P235: Store in a well-ventilated place. Keep cool.

P405: Store locked up.

P501: Dispose of contents in accordance with local, state

or national legislation.

Acronyms

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR: European Agreement concerning the International

Carriage of Dangerous Goods by Road ATE: Acute Toxicity Estimate

CAS: Chemical Abstracts Service CLP: Regulation (EC) No 1272/2008 on classification,

CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures DNEL

: Derived No Effect Level EC : European Community

EINECS: European Inventory of Existing Commercial

Chemical Substances

IATA: International Air Transport Association

IBC: Intermediate Bulk Container

ICAO: International Civil Aviation Organization

IMDG: International Maritime Dangerous Goods LTEL:

Long term exposure limit

PBT : Persistent, Bioaccumulative and Toxic PNEC : Predicted No Effect Concentration

REACH: Registration, Evaluation, Authorisation and

Restriction of Chemicals

RID: Regulations concerning the International Carriage of

Dangerous Goods by Rail STEL: Short term exposure limit STOT: Specific Target Organ Toxicity

**UN**: United Nations

vPvB: very Persistent and very Bioaccumulative

Key literature references and sources for data used to compile the SDS

Regulation (EC) No. 1272/2008 (CLP)

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Micronclean gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Micronclean accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.





Roman Bank / Skegness / Lincolnshire / PE25 1SQ T: +44 (0)1754 767 377 E: sales@micronclean.co.uk W: www.micronclean.com



