



# Safety Data Sheet

Micronclean IPA 70/30 WFI wipes/Mops



## SAFETY DATA SHEET

### Micronclean IPA 70/30 WFI Wipes/Mops

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

#### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

##### 1.1 Product identifier

Product code/part no.	Product identifier	UK Product Authorisation Number	Ireland Product Authorisation Number
WSCW92009	Veriguard 2 IPA Sessional Polycellulose C-folded Pouch Wipes Sterile	UK-2019-1221-1-0004	IE/BPA 70469 1-1
MCZSLA50S	VeriGuard 3 Polyester Non-folded Pouch Wipes Sterile	UK-2019-1221-1-0002	IE/BPA 70469 1-1
MCZNLA50N	VeriGuard 3 IPA Polyester Non-folded Pouch Wipes Non-sterile	UK-2019-1221-1-0001	IE/BPA 70469 1-1
WNVG05020	VeriGuard 1 IPA Polypropylene Tub Wipes Non-sterile	UK-2019-1221-1-0005	IE/BPA 70469 1-1
WSVG05020	VeriGuard 1 IPA Polypropylene Tub Wipes Sterile	UK-2019-1221-1-0006	IE/BPA 70469 1-1
WSVG01020	VeriGuard 1 IPA Polypropylene Tub Wipes Refill Sterile	UK-2019-1221-1-0007	IE/BPA 70469 1-1
WNVG04023	VeriGuard 2 IPA Polycellulose C-folded Pouch Wipes Non-sterile	-	-
WSVG04023	VeriGuard 2 IPA Polycellulose C-folded Pouch Wipes Sterile	-	-
WNVG06030	VeriGuard 3 IPA Sessional Polyester V-folded Pouch Wipes Non-sterile	UK-2019-1221-1-0003	IE/BPA 70469 1-1
WSVG06030	VeriGuard 3 IPA Sessional Polyester V-folded Pouch Wipes Sterile	UK-2019-1221-1-0003	IE/BPA 70469 1-1
WNPC50169	Veriguard 2 IPA Polycellulose C-folded Pouch Wipes Non-sterile	-	-
MSMI01016	Pureguard 1 IPA Multi Packed Disposable Microfibre Mops Sterile	-	-
MSMI04016	Pureguard 1 IPA Individually Packed Disposable Microfibre Mop Sterile	-	-

Product Name Micronclean IPA 70/30 WFI Wipes/Mops

Unique Formula Identifier (UFI) CC31-A0QV-M00U-0KR8

##### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) Disinfectant

Uses Advised Against Not known.

##### 1.3 Details of the supplier of the safety data sheet

Manufacturer

Company Identification Micronclean

Address of Manufacturer	Roman Bank Skegness Lincolnshire United Kingdom
Postal code	PE25 1SQ
Telephone:	0044 (0) 1754 767171
Fax	0044 (0) 1754 767171
E-mail	enquiries@micronclean.co.uk
Office hours	09:00 - 17:00
Supplier	
Company Identification	Micronclean
Address of Supplier	Holly Road Skegness Lincolnshire United Kingdom
Postal code	PE25 3AX
Telephone:	0044 (0) 1754 767171
Fax	0044 (0) 1754 767171
E-mail	enquiries@micronclean.co.uk
Office hours	09:00 - 17:00

#### 1.4 Emergency telephone number

Emergency Phone No.	+44 (0)1754 614100
Contact	No information available.
National response centre	
Address	NHS Direct
Emergency Phone No.	+44 111

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

Regulation (EC) No. 1272/2008 (CLP)	Flam. Liq. 2 :Highly flammable liquid and vapour. Eye Irrit. 2 :Causes serious eye irritation. STOT SE 3 :May cause drowsiness or dizziness.
-------------------------------------	--

### 2.2 Label elements

Product Name	According to Regulation (EC) No. 1272/2008 (CLP) Micronclean IPA 70/30 WFI Wipes/Mops
--------------	--

Hazard Pictogram(s)



GHS02



GHS07

Signal Word(s)	Danger
Hazard Statement(s)	H225: Highly flammable liquid and vapour. H319: Causes serious eye irritation. H336: May cause drowsiness or dizziness.
Precautionary Statement(s)	P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233: Keep container tightly closed. P264: Wash hands and exposed skin thoroughly after handling. P280: Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313: If eye irritation persists: Get medical advice/attention. P370+P378: In case of fire: Use water spray, dry powder or carbon dioxide to extinguish. P501: Dispose of contents in accordance with local, state or national legislation.
Unique Formula Identifier (UFI)	CC31-A0QV-M00U-0KR8

### 2.3 Other hazards

None known.

### 2.4 Additional Information

For full text of H/P Statements see section 16.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Not applicable.

### 3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / REACH Registration No.	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
propan-2-ol isopropyl alcohol isopropanol	67-63-0	200-661-7	70	Flam. Liq. 2 H225 Eye Irrit. 2 H319 STOT SE 3 H336	GHS02 GHS07
Water	7732-18-5	231-791-2	30	Not classified	None

Contains no non-classified vPvB substances.

Contains no non-classified substances with a Union workplace exposure limit.

For full text of H/P Statements see section 16.

## SECTION 4: FIRST AID MEASURES

### 4.1 Description of first aid measures

Inhalation	Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTRE/doctor if you feel unwell.
Skin Contact	Take off immediately all contaminated clothing. Rinse skin with water.
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Treat symptomatically.

### 4.2 Most important symptoms and effects, both acute and delayed

May cause irritation.

### 4.3 Indication of any immediate medical attention and special treatment needed

Call a POISON CENTRE/doctor if you feel unwell. Treat symptomatically.

## SECTION 5: FIREFIGHTING MEASURES

### 5.1 Extinguishing media

Suitable Extinguishing media Use water spray, dry powder or carbon dioxide to extinguish.

Unsuitable extinguishing media Water jet spray

### 5.2 Special hazards arising from the substance or mixture

Highly flammable liquid and vapour. May decompose in a fire, giving off toxic and irritant vapours.

### 5.3 Advice for firefighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. If it is safe to do so, containers should be removed from fire area because they are likely to rupture under fire conditions.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Use non-sparking ventilation systems, approved explosion-proof equipment, and intrinsically safe electrical systems. Ensure full personal protection (including respiratory protection) during removal of spillages.

## 6.2 Environmental precautions

Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.

## 6.3 Methods and material for containment and cleaning up

Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a container for disposal. Containers must not be punctured or destroyed by burning, even when empty.

## 6.4 Reference to other sections

See Also Section 8, 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Use explosion-proof electrical/ventilating/lighting/equipment. Use non-sparking tools. Take action to prevent static discharges. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands and exposed skin thoroughly after handling. Avoid breathing dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

Storage temperature	Ambient.
Storage life	Stable under normal conditions.
Incompatible materials	None known.

### 7.3 Specific end use(s)

Disinfectant

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

#### 8.1.1 Occupational Exposure Limits

Occupational Exposure Limits						
SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m <sup>3</sup> )	STEL (ppm)	STEL (mg/m <sup>3</sup> )	Note
Propan-2-ol	67-63-0	400	999	500	1250	

Region	Source
United Kingdom	UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

Remark      Notes

## 8.2 Exposure controls

8.2.1. Appropriate engineering controls      Use non-sparking ventilation systems, approved explosion-proof equipment, and intrinsically safe electrical systems. Ensure adequate ventilation. A washing facility/water for eye and skin cleaning purposes should be present.

8.2.2. Personal protection equipment



Eye Protection

Wear eye protection with side protection (EN166).



Skin protection

Wear protective clothing and gloves: Impervious gloves (EN 374).



Respiratory protection

Normally no personal respiratory protection is necessary.



Thermal hazards

None known.

8.2.3. Environmental Exposure Controls      Avoid release to the environment.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Physical state	Liquid.
Colour	Colourless
Odour	Alcohol-like.
Melting point/freezing point	-89°C
Boiling point or initial boiling point and boiling range	82°C
Flammability	Not known.
Lower and upper explosion limit	12.7% V / 2.0% V
Flash Point	18°C
Auto-ignition temperature	399°C
Decomposition Temperature	Not known.
pH	6 - 8
Kinematic Viscosity	@20°C = 4.232 @40°C = 2.121
Solubility	Solubility (Water) : Very soluble Solubility (Other) : Miscible with: Organic solvents.
Partition coefficient n-octanol/water (log value)	Not known.
Vapour pressure	20 mmHg @ 332°C

Density and/or relative density  
Relative vapour density  
Particle characteristics

Density (g/ml) : 0.785  
2.1  
Not known.

## 9.2 Other information

None.

## SECTION 10: STABILITY AND REACTIVITY

### 10.1 Reactivity

None anticipated.

### 10.2 Chemical Stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.

### 10.4 Conditions to avoid

Avoid friction, sparks, or other means of ignition.

### 10.5 Incompatible materials

Not known.

### 10.6 Hazardous decomposition products

No hazardous decomposition products known.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - Ingestion	Calculation method : Not classified.
Acute toxicity - Skin Contact	Calculation method : Not classified.
Acute toxicity - Inhalation	Calculation method : Not classified.
Skin corrosion/irritation	Calculation method : Not classified.
Serious eye damage/irritation	Calculation method : Causes serious eye irritation.
Skin sensitization data	Calculation method : Not classified.
Respiratory sensitization data	Calculation method : Not classified.
Germ cell mutagenicity	Calculation method : Not classified.
Carcinogenicity	Calculation method : Not classified.
Reproductive toxicity	Calculation method : Not classified.
Lactation	Not classified
STOT - single exposure	Calculation method : May cause drowsiness or dizziness.
STOT - repeated exposure	Calculation method : Not classified.



Aspiration hazard

Calculation method : Not classified.

### 11.2 Information on other hazards

Not known.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1 Toxicity

Toxicity - Aquatic invertebrates

Low toxicity to invertebrates.

Toxicity - Fish

Low toxicity to fish.

Toxicity - Algae

Low toxicity to algae.

Toxicity - Sediment Compartment

Not classified.

Toxicity - Terrestrial Compartment

Not classified.

### 12.2 Persistence and degradability

Not known.

### 12.3 Bioaccumulative potential

Not known.

### 12.4 Mobility in soil

Not known.

### 12.5 Results of PBT and vPvB assessment

Not known.

### 12.6 Endocrine disrupting properties

None known.

### 12.7 Other adverse effects

Not known.

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

Dispose of contents in accordance with local, state or national legislation. Recycle only completely emptied packaging. Containers must not be punctured or destroyed by burning, even when empty. Do not allow to enter drains, sewers or watercourses. Do NOT landfill. Normal disposal is via incineration operated by an accredited disposal contractor. Send to a licensed recycler, reclaimer or incinerator. Dispose at suitable refuse site.

### 13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

## SECTION 14: TRANSPORT INFORMATION

### 14.1 UN number or ID number

UN No. 3175

### 14.2 UN proper shipping name

UN proper shipping name SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.

### 14.3 Transport hazard class(es)

ADR/RID

ADR/RID Class	4.1
ADR Classification Code	F1
Special Provisions	216, 274, 601
Limited Quantities	1 kg
Excepted Quantities	E2
Emergency Action Code	1Z
Mixed Packing Instructions for Packages	P002 IBC06 R001
Special Packing Provisions for Packages	PP9
Mixed Packing Instructions for Packages	MP11
Packing Instructions for Portable Tanks	T3 BK1 BK2
Special Provisions for Portable Tanks	TP33
Tank Code for Tanks	
Special Provisions for Tanks	
Vehicle for Tank Carriage	AT
ADR Transport Category	2
Tunnel Restriction Code	E
Special Provisions for Carriage - Packages	V11
Special Provisions for Carriage - Bulk	VC1 VC2 AP2
Special Provisions for Carriage - Loading, Unloading and Handling	
Special Provisions for Carriage - Operation	
ADR HIN	40
IMDG	
IMDG Class	4.1
Special Provisions	216, 274, 601
Limited Quantities	1 kg
Excepted Quantities	E2
Mixed Packing Instructions for Packages	P002 IBC06 R001
Special Packing Provisions for Packages	PP9
Packing Instructions for Portable Tanks	T3 BK1 BK2
Special Provisions for Portable Tanks	TP33
IMDG EMS	F-A, S-I
Stowage and Handling	Category B
Segregation	
Marine Pollutant	

## ICAO/IATA

IATA Proper Shipping Name	SOLID CONTAINING FLAMMABLE LIQUID, N.O.S
Excepted Quantities	E2
Passenger and Cargo Aircraft Limited Quantities	Y441
Packing Instructions	
Passenger and Cargo Aircraft Limited Quantities	5Kg
Max net Qty	
Passenger and Cargo Aircraft Packing Instructions	445
Passenger and Cargo Aircraft Max net Qty	15Kg
Cargo Aircraft Packing Instructions	448
Cargo Aircraft Max net Qty	50Kg
Special Provisions	A46
Emergency Response Guidebook (ERG) Code	3L
Labels	
Labels	4.1

**14.4 Packing group**

Packing group II

**14.5 Environmental hazards**

Environmental hazards Not classified as a Marine Pollutant.

**14.6 Special precautions for user**

Special precautions for user Not known.

**14.7 Maritime transport in bulk according to IMO instruments**

No information available

**SECTION 15: REGULATORY INFORMATION****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

European Regulations - Authorisations and/or Restrictions On Use

Candidate List of Substances of Very High Concern Not listed  
for Authorisation

REACH: ANNEX XIV list of substances subject to authorisation Not listed

REACH: Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles propan-2-ol isopropyl alcohol isopropanol (67-63-0)

Community Rolling Action Plan (CoRAP) Not listed

Regulation (EU) N° 2019/1021 of the European Parliament and of the Council on persistent organic pollutants Not listed

Regulation (EC) N° 1005/2009 on substances that deplete the ozone layer Not listed

Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals Not listed

### National regulations

Other Not known.

## 15.2 Chemical Safety Assessment

A REACH chemical safety assessment has not been carried out.

## SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

### LEGEND

Hazard Pictogram(s)



GHS02



GHS07

Hazard classification

Flam. Liq. 2 : Flammable liquid, Category 2  
 Eye Irrit. 2 : Serious eye damage/irritation, Category 2  
 STOT SE 3 : Specific target organ toxicity — single exposure, Category 3

Hazard Statement(s)

H225: Highly flammable liquid and vapour.  
 H319: Causes serious eye irritation.  
 H336: May cause drowsiness or dizziness.

Precautionary Statement(s)

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P233: Keep container tightly closed.  
 P240: Ground and bond container and receiving equipment.  
 P241: Use explosion-proof electrical/ventilating/lighting/equipment.  
 P242: Use non-sparking tools.  
 P243: Take action to prevent static discharges.  
 P261: Avoid breathing dust/fume/gas/mist/vapours/spray.  
 P264: Wash hands and exposed skin thoroughly after handling.  
 P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.  
P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P312: Call a POISON CENTRE/doctor if you feel unwell.  
P337+P313: If eye irritation persists: Get medical advice/attention.  
P370+P378: In case of fire: Use water spray, dry powder or carbon dioxide to extinguish.  
P403+P233: Store in a well-ventilated place. Keep container tightly closed.  
P403+P235: Store in a well-ventilated place. Keep cool.  
P405: Store locked up.  
P501: Dispose of contents in accordance with local, state or national legislation.

#### Acronyms

ADN : European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road  
ATE : Acute Toxicity Estimate  
CAS : Chemical Abstracts Service  
CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures  
DNEL : Derived No Effect Level  
EC : European Community  
EINECS : European Inventory of Existing Commercial Chemical Substances  
IATA : International Air Transport Association  
IBC : Intermediate Bulk Container  
ICAO : International Civil Aviation Organization  
IMDG : International Maritime Dangerous Goods  
LTEL : Long term exposure limit  
PBT : Persistent, Bioaccumulative and Toxic  
PNEC : Predicted No Effect Concentration  
REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals  
RID : Regulations concerning the International Carriage of Dangerous Goods by Rail  
STEL : Short term exposure limit  
STOT : Specific Target Organ Toxicity  
UN : United Nations

vPvB : very Persistent and very Bioaccumulative

Key literature references and sources for data used to compile the SDS

Regulation (EC) No. 1272/2008 (CLP)

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Micronclean gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Micronclean accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Issue 10:

SDS cover update

Date of issue :

08/2022

Issued by:

Uzayr Jarral  
Regulatory Officer

